



RFID LABELS



Model:INNO-LBNXP-UDNA7815

►... Profile

This is wet inlay/label with 75*12mm antennas. Equipped with the NXP UCODE DNA chip, that provides 224 bits of EPC memory, 3072 bits of User memory, and a 48 bit TID number. Which is strongly suggested for race timing and automobile tracking applications, etc.

►... Key Features:

- Narrow antenna design.
- Worldwide operation in all RFID UHF bands (860-960 MHz).
- ISO/IEC 18000-6C compliance.
- EPC memory programmable
- Customization available with paper label
- Batch reading

►... Specification:

Tag Type:	RFID Labels
Chip:	NXP UCODE DNA
Memory:	EPC 224bits, TID 48bits, User 3072bits
Material:	Printable paper, PET, PP
Color:	White, CMYK color available
Antenna dimension:	75*12mm
Label dimension:	78*15mm
Protocol:	EPC Class1 Gen2, ISO18000-6C
Operating Frequency:	860-960Mhz
Read Range:	5-15M (may change based different readers and environment)
Adhesive:	Permanent adhesive

Mounting Methods:	Self-Adhesive
Data storage:	up to 10 years
Re-write:	100,000 times
Warranty:	1 year
Operating Temp:	-40°C~+85°C
Weight:	0.02g
Core Inner Diameter:	76mm
Packing Detail:	2500pcs/Reel
Printers supported:	ZEBRA: ZT400 Series, ZT600 Series, ZD500R, ZE500R, etc. SATO: CT4-LX Series, CL4NX, CL4NX Plus, CL6NX Plus, S84-ex,etc
Applications:	Apparel hangtag, Foot wear management, Asset management tracking, etc.