

## ISO MIFARE 1K/4K CARD




### Model:INNO-ISOCARD-MF1K/4K

#### ►... Profile

This mifare card is developed based on passive RFID Technology of High frequency (13.56Mhz), which support ISO 14443A protocol. Widely used in a lot of industries, like transportation system, Hospital system management, school all-in-one card system, retail system, security and access control system, parking system, hotel management system, etc.

#### STRUCTURE



#### ►... Key Features:

- Milk white PVC material, which satisfies most people in the world.
- Printable surface for branded printers of Zebra, Datacard, Evolis, Fargo, etc.
- Price competitive with all other card technologies.
- External number for easy identification and access control.
- Customized shapes, sizes and pre-printed artworks available.

#### ►... Specification:

Physical specification	
<b>Material</b>	PVC/PET
<b>Size</b>	CR80 (85.6*54mm), customized size available
<b>Thickness</b>	0.86 mm
<b>Color</b>	Milk white (pre-printed and transparent available)
<b>Available Crafts</b>	Silk-screen, spray code, number printing (inkjet printing or laser engraving), etc.
Performance Specification	
<b>Frequency</b>	13.56Mhz
<b>Available chips</b>	NXP Mifare Classic S50/S70, FM11R08, Fudan S70, etc.
<b>Read/Write range</b>	1-10CM
<b>Protocol supported</b>	ISO 14443A

Environmental specification	
<b>Working Temperature</b>	-10 °C ~ 50 °C
<b>Storage Temperature</b>	-25 °C ~ 50 °C
Performance specification	
Packing details	
<b>Gross weight</b>	0.0068kgs/pcs
<b>Package</b>	100pcs/pack, 200pcs/box,5000pcs/carton
<b>Carton size</b>	52*24.5*32cm