



HIGH TEMPERATURE COIN TAGS

Model:INNO-CNTAG-HTD50



Thickness:3mm

►... Profile

This RFID coin tag is laminated with PPS material, developed and customized with very small sized antenna and chip. Which is sturdy and durable, can withstand high pressure, high temperature, waterproof, shock-proof and moisture-proof. It can be used in harsh outdoor environments with a waterproof rating of IP67.

►... Key Features:

- PPS materia
- Sturdy and durable, can withstand high pressure, high temperature, waterproof, shock-proof and moisture-proof
- External number for easy identification and access control.
- Customized shapes, sizes and pre-printed artworks available

►... Specification:

Material	PPS
Size	Φ50mm (customized size available)
Thickness	3mm or customized thickness
Color	Black
Available crafts	silk-screen, laser engraving number, etc.
Read Range	0.1-2m
Frequency	125Khz/13.56Mhz/860-960Mhz
Available chips	EM (125Khz): TK4100, EM4200, EM4305, T5577, etc. MF (13.56Mhz): Mifare S50/S70, FM11R08/ UltralightEV1/Ultralight C/Ntag213/215/216, NXP Mifare desfireEV1 2K/4K/8K, etc.) UHF (860-960Mhz): Alien H3/H9, NXP U8/U9, etc.

Read/Write range	EM (125Khz):1-10CM MF(13.56Mhz):1-10CM UHF (860-960Mhz): 1-15M
Working Temperature	-50°C-200°C
IP rating	Ip67
Gross weight	12g
Package	100pcs/pack, 500pcs/box, 1000pcs/carton
Carton size	52*24.5*32cm