


## DUAL FREQUENCY CARD (EM+MF)




### Model:INNO-DLCARD-EMF

#### ►... Profile

This dual frequency card is developed based on passive RFID Technology of EM (125Khz) and MF (13.56Mhz), which support ISO18000, ISO14443A, ISO/IEC15693 and protocol. Widely used for payment and access control.

#### STRUCTURE



#### ►... Key Features:

- Milk white PVC material, which satisfies most people in the world.
- Printable surface for branded printers of Zebra, Datacard, Evolis, Fargo, etc.
- Price competitive with all other card technologies.
- External number for easy identification and access control.
- Customized shapes, sizes and pre-printed artworks available.

#### ►... Specification:

##### Physical specification

<b>Material</b>	PVC/PET
<b>Size</b>	85.6 *54mm (customized size available)
<b>Thickness</b>	0.86mm
<b>Color</b>	Milk white (pre-printed and transparent available)
<b>Available Crafts</b>	silk-screen, spray code, number printing (inkjet printing or laser engraving), etc.

##### Performance Specification

<b>Frequency</b>	125Hhz + 13.56Mhz
<b>Read/Write range</b>	1-10CM
<b>Available chips</b>	EM (125Khz): TK4100, EM4200, EM4305, T5577, etc. MF (13.56Mhz): Mifare S50/S70, FM11R08/ UltralightEV1/Ultralight C/Ntag213/215/216, NXP Mifare desfireEV1 2K/4K/8K, etc.)

##### Environmental specification

<b>Working Temperature</b>	-10 °C ~ 50 °C
<b>Storage Temperature</b>	-25 °C ~ 50 °C

##### Packing details

<b>Gross weight</b>	0.0068kgs/pcs
<b>Package</b>	100pcs/pack, 200pcs/box,5000pcs/carton
<b>Carton size</b>	52*24.5*32cm